

## PA30 – Breast and Cervical Cancer Screen Result Codes

Indication for Initial Mammogram		Indication for Pap Test	
IM1	Routine mammogram screening.	IP1	Routine Pap Test (screening)
IM2	Initial mammogram performed to evaluate symptoms, positive CBE results or previous abnormal mammogram result.	IP2	Patient under surveillance for a previous abnormal test.
IM3	Initial mammogram done outside of Program - patient referred in for diagnostic evaluation.	IP3	Pap test done outside of the Program and patient referred in for diagnostic evaluation.
IM4	Initial mammogram not done. Patient only received CBE, or proceeded directly for other imaging or diagnostic work-up.	IP4	Pap Test not done.
IM9	Unknown	IP5	Pelvic exam only, no cervix present.
		IP7	Pap after Primary HPV positive
		IP8	No cervical services
		IP9	Unknown
		Indication for HPV Test	
		IH1	Co-Testing
		IH2	Follow up/Reflex (should be reported if HPV test is performed as a follow-up test after a screening Pap)
		IH3	Test not done
		IH4	Primary HPV Testing
		IH9	Unknown

Diagnostic Work-up Codes		When to Use
<b>P1</b>	Diagnostic work-up planned	There is an abnormality and the doctor requests that diagnostic tests be performed.
<b>P2</b>	Diagnostic work-up <u>not</u> planned	No diagnostic tests are required.
<b>P3</b>	Diagnostic work-up plan not yet determined	A plan for diagnostic work-up has not yet been determined.
Status of Final Diagnosis/Imaging Codes		
<b>F1</b>	Work-up complete	The results of the screening were abnormal, diagnostic tests were performed, and the results are known.
<b>F2</b>	Work-up pending	Results of the screening were abnormal, diagnostic tests have been performed, and the results are unknown at this time.
<b>F3</b>	Lost to follow-up or deceased	Results of the screening were abnormal, diagnostic tests were requested by the doctor, but the client could not be contacted after reasonable attempts, or the client has died.
<b>F4</b>	Work-up refused	Results of the screening were abnormal, diagnostic tests were requested by the doctor; however the client has refused further testing.

<b>F5</b>	Patient obtained insurance	The client was able to obtain insurance since originally enrolled.
<b>F9</b>	Irreconcilable	This will not be an option for sites to use. Will be used for records, which have been identified by the Quality Assurance Nurse and Data Manager, for which there is no sufficient way to translate the clinical scenario.

<b>Breast Cancer Diagnosis and Treatment</b>					
<b><i>Final Diagnosis</i></b>		<b><i>Treatment Provided</i></b>		<b><i>Treatment Status</i></b>	
<b>B2</b>	Invasive breast cancer	<b>B1</b>	Mastectomy, unilateral	<b>1</b>	Treatment started
<b>B3</b>	Breast cancer not diagnosed	<b>B2</b>	Mastectomy, bilateral	<b>2</b>	Treatment pending
<b>B4</b>	Lobular in situ (LCIS)	<b>B3</b>	Lumpectomy	<b>3</b>	Lost to follow-up
<b>B5</b>	Ductal in situ (DCIS)	<b>B4</b>	Hormone therapy	<b>4</b>	Treatment refused
		<b>B5</b>	Other	<b>5</b>	Treatment not needed
			Radiation	<b>6</b>	Treatment completed
			Chemotherapy		

<b>Cervical Cancer Diagnosis and Treatment</b>					
<b><i>Final Diagnosis</i></b>		<b><i>Treatment Provided</i></b>		<b><i>Treatment Status</i></b>	
<b>C1</b>	Normal/Benign reaction/inflammation	<b>C1</b>	Cryocautery	<b>1</b>	Treatment started
<b>C2</b>	HPV/Condylomata/Atypia	<b>C2</b>	Laser ablation/Vaporization	<b>2</b>	Treatment pending
<b>C3</b>	CIN 1/Mild dysplasia	<b>C3</b>	Biopsy/LEEP/Loop electrode excision procedure	<b>3</b>	Lost to follow-up
<b>C4</b>	CIN 2/Moderate dysplasia	<b>C4</b>	Biopsy/Conization of cervix; cold knife or laser	<b>4</b>	Treatment refused
<b>C5</b>	CIN 3/Severe dysplasia/Carcinoma in situ or AIS	<b>C6</b>	Other	<b>5</b>	Treatment not needed
<b>C6</b>	Invasive cervical carcinoma	<b>C7</b>	Hysterectomy	<b>6</b>	Treatment completed
<b>C7</b>	Other		Radiation		
<b>C8</b>	Low grade SIL (LSIL)		Chemotherapy		
<b>C9</b>	High grade SIL (HSIL)				